Debugging Zen

Ben Ramsey

Not Zend!

About Me

ShootProof

virtPHP

Debugging Zen?

Debugging

debug

/diːˈbʌɡ/

To search for and eliminate malfunctioning elements or errors in something, especially a computer program or machinery.

Zen

zen

/zɛn/

(*colloquial*) Extremely relaxed and collected.

(*informal*) A philosophy of calm, reminiscent of that of the Buddhist denomination.

Just What Is Intuition?



"Hokey religions and ancient weapons are no match for a good blaster at your side, kid."
—Han Solo

in·tu·i·tion

/ˌint(y)ōōˈiSHən/

Immediate cognition without the use of conscious rational processes.

That's immediate cognition, and you weren't conscious of any rational process being used.


FALK,J
F 48 04
27 Jun
12:23:2
Mag =
FL:
ROT:
NEX
I 115
W = 690 L =




FALK,J
F 48 04
27 Jun
12:23:2
Mag =
FL:
ROT:
NEX
I 115
W = 690 L =


Se: 1
Im: 11
Sag RO:0
FALK,J
F 48 04
27 Jun
12:23:2
Mag =
FL:
ROT:
A
115
HEAD
FOV:23x23
256/256/1.00 NEX
VB
I:115
W = 690 L =

Using your Intuition

Slow Down

1. Stop what you're doing
2. Close your eyes
3. Take a deep breath
4. Let it out slowly

“If you just sit and observe, you will see how restless your mind is. If you try to calm it, it only makes it worse, but over time it does calm, and when it does, there’s room to hear more subtle things—that’s when your intuition starts to blossom and you start to see things more clearly and be in the present more…”



"…Your mind just slows down, and you see a tremendous expanse in the moment. You see so much more than you could see before. It's a discipline; you have to practice it."



Stop Saying “I Don’t Know”

We shut off our intuition when we answer questions with, “I don’t know.”

Ask yourself what may be blocking you from finding the solution.

You must *discover* the answer.

The Problem Is in Your Code

PHP Bug Tracking System

Before you report a bug, please make sure you have completed the following steps:

- Used the form above or our advanced search page to make sure nobody has reported the bug already.
- Made sure you are using the latest stable version or a build from Git, if similar bugs have recently been fixed and committed. You can download snapshots at http://snaps.php.net
- Read our tips on how to report a bug that someone will want to help fix.
- See how to get a backtrace in case of a crash: for *NIX and for Windows.
- Make sure it isn't a support question. For support, see the support page.

Once you've double-checked that the bug you've found hasn't already been reported, and that you have collected all the information you need to file an excellent bug report, you can do so on our bug reporting page.

Search the Bug System

You can search all of the bugs that have been reported on our advanced search page, or use the form at the top of the page for a basic default search. Read the search howto for instructions on how search works.

If you have 10 minutes to kill and you want to help us out, grab a random open bug and see if you can help resolve it. We have made it easy. Hit https://bugs.php.net/random to go directly to a random open bug.

Common searches

- Most recent open bugs (all)
- Most recent open bugs (all) with patch or pull request
- Most recent open bugs (PHP 5.4)
- Most recent open bugs (PHP 5.5)
- Most recent open bugs (PHP 5.6)
- Open Documentation bugs
- Open Documentation bugs (with patches)

Bug System Statistics

You can view a variety of statistics about the bugs that have been reported on our bug statistics page.

1. Looking in the wrong place.

2. Wasting time, energy, and resources.

3. Hurting your reputation as a problem solver.

First, assume the problem is in *your* code.

Focus on the
Problem,
Not a Solution

```
if (A && B) {
    // the problem must be C
    solveUsingD();
}
```

The symptoms may not indicate the real problem.


tag_assertion
PK id INTEGER
FK3 subject_id INTEGER
FK1 prpt_id INTEGER
FK4 object_id INTEGER
FK2 user_id INTEGER
tag_prpt
PK id INTEGER
name VARCHAR(255)
ns_prefix VARCHAR(10)
description TEXT(10)
prpt_type CHAR(10)
cardinaltiy INTEGER
user_tag_idx
PK id INTEGER
FK1 user_id INTEGER
FK2 tag_id INTEGER
count INTEGER
user
PK id INTEGER
username VARCHAR(45)
password VARCHAR(45)
fullname VARCHAR(100)
created_on DATETIME
email VARCHAR(50)
acct_status INTEGER
folder_tag_idx
FK1 folder_id INTEGER
FK2 tag_id INTEGER
count INTEGER
tag
PK id INTEGER
tag TEXT(10)
count INTEGER
bookmark_tag_idx
PK id INTEGER
FK2 bookmark_id INTEGER
FK1 tag_id INTEGER
count INTEGER
position SMALLINT
for_user
PK id INTEGER
FK2 for_user_id INTEGER
FK1 bookmark_id INTEGER
message TEXT(10)
created_on DATETIME
folder
PK id INTEGER
FK1 folder_name VARCHAR(45)
owner_id INTEGER
description TEXT(10)
last_updated DATETIME
link_tag_idx
PK id INTEGER
FK1 link_id INTEGER
FK2 tag_id INTEGER
count INTEGER
'geom' has datatype: POINT
point_marker
PK id INTEGER
geom ~~BINARY(10)~~
notes VARCHAR(255)
icon_id INTEGER
bookmark_pointer_marker_idx
bookmark_id INTEGER
point_marker_id INTEGER
bookmark
PK id INTEGER
FK1 user_id INTEGER
FK2 link_id INTEGER
title TEXT(10)
notes TEXT(10)
created_on DATETIME
last_updated DATETIME
bookmark_folder
PK id INTEGER
FK2 bookmark_id INTEGER
FK1 folder_id INTEGER
last_updated DATETIME
link
PK id INTEGER
FK1 mime_type_id INTEGER
url TEXT(10)
url_hash VARCHAR(45)
search_idx
PK bookmark_id INTEGER
text TEXT(10)
tags TEXT(10)
feed_subscription
PK id INTEGER
FK1 bookmark_id INTEGER
last_sync DATETIME
matching_tags TEXT(10)
auto_import INTEGER
pub_date DATETIME
mime_type_admin
PK id INTEGER
mime_type VARCHAR(45)
label VARCHAR(100)
feed_folder
PK id INTEGER
FK1 feed_id INTEGER
FK2 folder_id INTEGER

Always get to the heart of the problem.

Debugging the Irreproducible Problem

Do the symptoms point to
a potential problem area?

Sometimes we can’t solve the problem.

Develop With Purpose

Be intentful.

Grok what it is you are doing.

Debugging Tools

Xdebug – Debugger and Pr

xdebug.org

XDEBUG EXTENSION FOR PHP

If you like Xdebug, please consider giving a "donation".

Or Flattr this website:

Flattr 388

Announcements

[2014-04-29] - Xdebug 2.2.5 is out!

This is a bug-fix release for the 2.2 series, and addresses the issue with debug connections only working once, or not at all.

The full change log can be found on the updates page and the source code and Windows binaries can be found on the downloads page.

If you find Xdebug a valuable tool, you might want to look into this to support Xdebug's development, or have a look at my Amazon wishlist.

[2014-02-28] - Xdebug 2.2.4 is out!

This is a bug-fix release for the 2.2 series, and addresses a few minor issues.

The full change log can be found on the updates page and the source code and Windows binaries can be found on the downloads page.

If you find Xdebug a valuable tool, you might want to look into this to support Xdebug's development, or have a look at my Amazon wishlist.

1. Stack traces
2. var_dump() replacement
3. Code coverage analysis

4. Profiler that outputs cache grind files
    a. Find bottlenecks in code
    b. Visualize with KCacheGrind, MacCallGrind, or WinCacheGrind

5. Includes a remote debugger allowing you to examine data structure and interactively step through your code.

phpdbg | php debugger

phpdbg.com

phpDBG Download Get Client Getting started Documentation 417 630 #IRC

Integrated into PHP 5.6 core!

40:0 vote confirms the awesomeness.

Awesomesauce

Stepthrough Debugging

Inspect and affect the environment after the execution of each opcode.

Flexible Breakpoints

Allow you to specify very precisely when to break execution.

Easy Access to PHP with built-in `eval()`

The power of PHP available to every command issued !

Disassembly of PHP Code

phpdbg : phpdbg – Konsole

File Edit View Bookmarks Settings Help

```
[joe@fiji phpdbg]$ ./phpdbg -etest.php
[Welcome to phpdbg, the interactive PHP debugger, v0.2.0-dev]
To get help using phpdbg type "help" and press enter
[Please report bugs to <http://github.com/krakjoe/phpdbg/issues>]
phpdbg>
```

phpdbg : phpdbg

1. Step-through debugging
2. Set break points
3. Disassemble your code
4. Userland API
5. SAPI agnostic
6. Remote debugging
7. Included in PHP 5.6

whoops! – php errors for c

filp.github.io/whoops/

Fork me on GitHub



whoops

php errors for cool kids

whoops is a nice little library that helps you develop and maintain your projects better, by helping you deal with errors and exceptions in a less painful way.

view the demo | view on github

download a stable version | view on packagist

Whoops! There was an erro

filp.github.io/whoops/demo/

RuntimeException
.../demo/dev/whoops/examples/-example-silex.php:33

{closure}
<#unknown>:0

call_user_func_array
.../demo/dev/whoops/vendor/symfony/-http-kernel/Symfony/Component/-HttpKernel/HttpKernel.php:129

Symfony\Component\HttpKernel\HttpKernel handleRaw
.../demo/dev/whoops/vendor/symfony/-http-kernel/Symfony/Component/-HttpKernel/HttpKernel.php:73

Symfony\Component\HttpKernel\HttpKernel handle
.../demo/dev/whoops/vendor/silex/-silex/src/Silex/Application.php:504

Silex\Application handle
.../demo/dev/whoops/vendor/silex/-silex/src/Silex/Application.php:481

Silex\Application run
.../demo/dev/whoops/examples/-example-silex.php:36

Fork me on GitHub

RuntimeException

Oh no!

/demo/dev/whoops/examples/example-silex.php

```
26. $app['debug'] = true;
27.
28. if($app['debug']) {
29.     $app->register(new WhoopsServiceProvider);
30. }
31.
32. $app->get('/', function() use($app) {
33.     throw new RuntimeException("Oh no!");
34. });
```

No comments for this stack frame.

Silex Application

Charset	UTF-8
Locale	en
Route Class	Silex\Route
Dispatcher Class	Symfony\Component\EventDispatcher\EventDispatcher
Application Class	Silex\Application

Silex Application (Request)

URI	http://localhost:8080/example-silex.php/
Request URI	/example-silex.php
Path Info	/

PHP Debug Bar

phpdebugbar.com

PHP Debug Bar

Documentation Code

Fork me on GitHub

Debugging in PHP has never been easier

The DebugBar integrates easily in any projects and can display profiling data from any part of your application. It comes built-in with data collectors for standard PHP features and popular projects.

Install the debug bar using Composer:

```
{
  "require": {
    "maximebf/debugbar": "1.*"
  }
}
```

```
$ php composer.phar install
```

The DebugBar has two parts: the main `DebugBar` object with data collectors and the renderer. Data collectors are objects collecting a specific set of data. To makes things easy, the `StandardDebugBar` has all the built-in collectors activated.

```
<?php
```

Features:

- Generic debug bar with no other dependencies
- Easy to integrate with any project
- Clean, fast and easy to use interface
- Handles AJAX request
- Includes generic data collectors and collectors for well known libraries
- The client side bar is 100% coded in javascript
- Easily create your own collectors and their associated

Messages 4 Request Timeline Exceptions 1 Database 6 1.25MB 10ms

PHP Debug Bar

phpdebugbar.com

PHP Debug Bar

Documentation Code

Fork me on GitHub

Debugging in PHP has never been easier

The DebugBar integrates easily in any projects and can display profiling data from any part of your application. It comes built-in with data collectors for standard PHP features and popular projects.

Messages 4 | Request | Timeline | Exceptions 1 | Database 6 | 1.25MB | 10ms

```
hello                                                    info
world                                                    warning
Array
(
    [toto] => Array
        (
            [0] => titi
            [1] => tata
        )

)
oups                                                     error info
```

https://github.com/maximebf/php-debugbar

error warning info

PHP Debug Bar

phpdebugbar.com

PHP Debug Bar

Documentation Code

Fork me on GitHub

Debugging in PHP has never been easier

The DebugBar integrates easily in any projects and can display profiling data from any part of your application. It comes built-in with data collectors for standard PHP features and popular projects.

Messages 4 | Request | Timeline | Exceptions 1 | Database 6 | 1.25MB | 10ms

6 statements were executed, 1 of which failed — **1.5MB 1ms**

create table users (name varchar)		0	1.25MB	0ms
insert into users (name) values (<foo>)	000000006ef9f64b00000000a141d954	1	1.5MB	0ms
insert into users (name) values (<bar>)	000000006ef9f64b00000000a141d954	1	1.5MB	0ms
select * from users		0	1.5MB	0ms
select * from users where name=<foo>	000000006ef9f65400000000a141d954	0	1.5MB	0ms
delete from unknown_table **[0] no such table: unknown_table**			1.5MB	0ms

Kint, a debugging tool for

raveren.github.io/kint/

Kint

Zero-setup replacement for **var_dump()**, **print_r()** and **debug_backtrace()**.

Download | Github | Donate

About
Installation & usage
Advanced usage
Shortcuts
Using with a framework
Notes and credits
Leave a comment

Kint - a modern and powerful PHP debugging helper

What is it?

Kint for PHP is a tool designed to present your debugging data in the absolutely best way possible.

In other words, it's `var_dump()` and `debug_backtrace()` on steroids. Easy to use, but powerful and customizable. An essential addition to your development toolbox.

Still lost? You use it to see what's inside variables.

```
$_SERVER array (39)
  'MIBDIRS' => string (24) "C:/xampp/php/extras/mibs"
```

time() integer 1363121879

timestamp

2013-03-12 22:57:59

string (4) "#789"

CSS color

#789

hex : #789
rgb : rgb(119, 136, 153)
hsl : hsl(210, 14%, 53%)

$tabular array (4)

	email	name
#1	string (12) "sed@amet.com"	string (17) "Hedda M. Mcdaniel"
#2	string (17) "nibh@acorciUt.net"	string (15) "Beverly Y. Mayo"
#3	string (33) "sagittis.Duis.gravida@sodales.com"	string (12) "Zephr Booker"
#4	string (26) "placerat@etliberoProin.net"	string (11) "Mallory Jr."

Arr::toXml(...) string (118) "<?xml version="1.0" encoding="utf-8"?> <data><emai …"

string (118) XML

public email -> string (26) "placerat@etliberoProin.net"

public name -> string (11) "Mallory Jr."

Called from APP/webroot/index.php line 44

```
Kint::dump($_SERVER);
```

FirePHP – Firebug Extensio

firephp.org

Go to the **FirePHP Headquarters** for the **API Reference** and everything else you need to know.

Firebug Extension for
AJAX Development

FirePHP

```
<?php

FB::log('Log message');
FB::info('Info message');
FB::warn('Warn message');
FB::error('Error message');

?>
```



FirePHP enables you to log to your Firebug Console using a simple PHP method call.

All data is sent via response headers and will not interfere with the content on your page.

FirePHP is ideally suited for AJAX development where clean JSON and XML responses are required.

Install FirePHP (For instructions see here)

FirePHP Extension for Firefox 8+ & Firebug 1.9+

Required: Firebug 1.9+

Stable Channel: Install FirePHP Extension 0.7.2 from Mozilla Add-ons

RC Channel: Install FirePHP Extension 0.7.4 (Source) (Changelog)

FirePHP Extension for Firefox 5+ & Firebug 1.8

error_log

(PHP 4, PHP 5)

error_log — Send an error message to the defined error handling routines

Description

```
bool error_log ( string $message [, int $message_type = 0 [, string
$destination [, string $extra_headers ]]] )
```

Sends an error message to the web server's error log or to a file.

Parameters

message

The error message that should be logged.

Error Handling Functions
- debug_backtrace
- debug_print_backtrace
- error_get_last
- » error_log
- error_reporting
- restore_error_handler
- restore_exception_handler
- set_error_handler
- set_exception_handler
- trigger_error
- user_error

var_export

Change language: English
Edit Report a Bug

(PHP 4 >= 4.2.0, PHP 5)

var_export — Outputs or returns a parsable string representation of a variable

Description

```
mixed var_export ( mixed $expression [, bool $return = false ] )
```

var_export() gets structured information about the given variable. It is similar to var_dump() with one exception: the returned representation is valid PHP code.

Parameters

expression

The variable you want to export.

Variable handling Functions
boolval
debug_zval_dump
doubleval
empty
floatval
get_defined_vars
get_resource_type
gettype
import_request_variables
intval
is_array
is_bool
is_callable
is_double
is_float
is_int
is_integer
is_long
is_null
is_numeric

```
error_log(var_export($_SERVER, true));
```

```
$ tail -f error_log
```

Learn to combine your tools with your intuition.



"The difference between science as it stands now and the Buddhist investigative tradition lies in the dominance of the third-person, objective method in science and the refinement and utilization of first-person, introspective methods in Buddhist contemplation. In my view, the combination of the first-person method with the third-person method offers the promise of a real advance in the scientific study of consciousness."



"The difference between science as it stands now and the Buddhist investigative tradition lies in the dominance of the third-person, objective method in science and the refinement and utilization of first-person, introspective methods in Buddhist contemplation. In my view, the combination of the first-person method with the third-person method offers the promise of a real advance in the scientific study of consciousness."



"The difference between science as it stands now and the Buddhist investigative tradition lies in the dominance of the third-person, objective method in science and the refinement and utilization of first-person, introspective methods in Buddhist contemplation. In my view, the combination of the first-person method with the third-person method offers the promise of a real advance in the scientific study of consciousness."

Thank you.

Ben Ramsey
benramsey.com
@ramsey

joind.in/11746



Photo Credits

1. "Zen Stones / Piedras Zen" by Xisco Biblioni, flickr.com/photos/bibigeek/6198549521
2. "Bug on a leaf, in all the glory of f/2.8" by Y.J. Chua, flickr.com/photos/chua_photography/8082175855
3. "Pagoda garden" by L Hoffheins, flickr.com/photos/artos/1461352722
4. "My Brain on MRI" by Julie Falk, flickr.com/photos/piper/22584430
5. "Ripple Effect" by sea turtle, flickr.com/photos/sea-turtle/3920818927
6. "Steve Jobs Keynote" by Ben Stanfield, flickr.com/photos/acaben/541420967

Photo Credits

7. "Zen" by Wulf Forrester-Barker
   flickr.com/photos/wulf/546402600
8. "Annapurna Mountain" by Dave See,
   flickr.com/photos/dave_see/9231275034
9. "Blue Flower in Barcelona" by Benjamin Grimmnitz,
   flickr.com/photos/grimmnitz/4788301336
10. "database schema" by gnizr,
    flickr.com/photos/14804582@N08/2111269218
11. "day 37" by James Gray-King,
    flickr.com/photos/jamesgrayking/2211168647
12. "Cheetah stalking" by flowcomm,
    flickr.com/photos/flowcomm/13943861867

Photo Credits

13. “zen garden 1900 x 1200 variation” by Roberto Zingales, flickr.com/photos/filicudi/3966094954
14. “The Dalai Lama @ The Vancouver Peace Summit” by kris krüg, flickr.com/photos/kk/3959577856
15. “Zen/Striped Rock” by Mando Gomez flickr.com/photos/mandolux/181308667

Debugging Zen

Copyright © Ben Ramsey. All rights reserved.

This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International.

For uses not covered under this license, please contact the author.

Ramsey, Ben. "Debugging Zen." Madison PHP Conference. Alliant Energy Center, Madison. 13 Sep. 2014. Conference presentation.