



Chuspa





php[tek] • April 25, 2024



Saving Open Source

Ben Ramsey

Does open source need saving?



php[tek] • April 25, 2024



Saving PHP

Ben Ramsey



My Open Source Story





CENTIPEDE
COPYRIGHT 1982 ATARI, INC.

PRESS START

ATARI 400

ESC | 1 2 3 4 5 6 7 8 9 0 | CLEAR INSERT DELET BACK 5 | BREAK
CLR SET | Q W E R T Y U I O P | - = | RETURN
TAB | A S D F G H J K L | ; ' | + * | CAPS LOW R
SHIFT | Z X C V B N M | , . | / ? | | SHIFT

SYSTEM
RESET
OPTION
SELECT
START



```

62 IF li=4 THEN PRINT AT 0,4
;" G"
63 IF li=3 THEN PRINT AT 0,3
;" G"
64 IF li=2 THEN PRINT AT 0,2
;" G"
65 IF li=1 THEN PRINT AT 0,1
;" G"
67 IF li=0 AND sc >= mi THEN
GO TO 800
74 LET dir= IN 30
75 PRINT AT s,d;"D"
76 IF d=1 THEN PRINT AT s,d;
" ": LET li=li-1: LET d=31: LET
s= INT ( RND *20)+1: IF li=0 AND
sc<mi THEN CLS : PRINT AT 11,
0;"YOUR VILLAGERS ARE DEAD","YOU
KILLED ";sc;" WOLVES","TRY AGAI
N?(Y/N)": INPUT a$: IF a$="y" OR
a$="Y" THEN CLS : LET li=5: GO
TO 55 77 IF li=0 AND sc<mi THEN
STOP
78 LET d=d-1: BEEP 0.005,30: P
RINT AT s,d+1;" ": IF d=0 THEN
PRINT AT a,d;" ": GO TO 61
79 IF dir=1 THEN LET b=b+1: P
RINT AT a,b-1;" ": IF b=31 THE
N LET b=30
80 IF dir=2 THEN LET b=b-1: P
RINT AT a,b+1;" ": IF b=0 THE
N LET b=1
90 IF dir=4 THEN LET a=a+1::
PRINT AT a-1,b;" ": IF a=21 TH
EN LET a=20
95 IF dir=8 THEN LET a=a-1: P
RINT AT a+1,b;" "
96 IF a=s AND b=d THEN BEEP 0
.5,40: BEEP 0.005,30: PRINT AT
a,d;" ": LET d=31: LET s= INT (
RND *20)+1: LET sc=sc+1: PRINT
AT 0,21;"KILLS=";sc: PRINT AT a
,b+1.5;"J": GO TO 75
100 GO TO 60
409 FOR y=1 TO 40
415 LET z= INT ( RND *21)+1: LE
T x= INT ( RND *28)
420 PRINT AT z,x; INK 4;"H"
430 NEXT y
440 RETURN
800 CLS
900 FOR q=0 TO 30
950 BEEP 0.005,q
960 NEXT q
999 CLS : FOR l=1 TO 20
1000 PRINT AT 16,12;"HOORAY!"

```



```

.005,20
1003 CLS
1004 PRINT AT 11,15;"C": BEEP 0
.005,-30
1005 FOR k=6 TO 16
1006 PRINT AT k,5;"HOORAY": PRI
NT AT k,20;"HOORAY"
1007 NEXT k: NEXT 1
1008 FOR x=0 TO 30: BEEP 0.005,x
: NEXT x
1009 CLS : PRINT "YOU HAVE REACH
ED THE HIGHEST","SCORE"
1010 PRINT "TYPE IN YOUR NAME":
INPUT b$
1015 LET mi=sc
1016 CLS : PRINT "DO YOU WISH TO
PLAY AGAIN?(Y/N)"
1017 INPUT g$
1018 IF g$="y" OR g$="Y" THEN C
LS : LET li=5: GO TO 55

```



HARRIET DODGES THE SPIDERS

HARRIET Dodges the Spiders was written for the 16K Spectrum by Alan Rees, aged 13, of Abergavenny, Gwent. The object is to dodge the oncoming spiders to stay alive for as long as possible. You gain a bonus serum at 1,000 points. The game is joystick-compatible with the ZX Interface Two. If you have no Interface Two, you can use keys 1 and 2 to move left and right.

```

1 LET a=0
2 LET b=15
3 LET se=0
4 LET sc=0
5 LET hsc=200
8 GO SUB 9000
9 GO SUB 8000
10 LET z= INT ( RND *32)
11 PRINT INK 2; AT 19,z;"B"








12 LET z= INT ( RND *32)
13 BEEP .04,z
14 PRINT INK 2; AT 19,z;"B"

15 PRINT AT 20,0;"
"
16 PRINT AT 21,0;"SERUM ";se+
1
20 PRINT INK 4; AT a,b;"A"
30 IF INKEY$ ="1" THEN LET b
=b-1: IF b<0 THEN LET b=0
35 IF sc=9999 THEN GO SUB 700
=b+1: IF b>31 THEN LET b=31
50 LET l=USR (3280)
55 LET sc=sc+1
57 PRINT AT 0,0;sc
58 PRINT AT 0,25;"HI ";hsc
60 PRINT INK 4; AT a,b;"A"
65 IF sc=1000 OR sc=2000 OR sc
=3000 OR sc=4000 OR sc=5000 OR s
c=6000 OR sc=6000 OR sc=8000 OR
sc=9000 THEN GO SUB 8200
70 IF ATTR (a+1,b)=58 THEN G
O SUB 2000
100 GO TO 10
2000 IF se >= 1 THEN GO TO 2050

2010 IF se=0 THEN GO SUB 2080

2050 LET se=se-1
2060 PRINT FLASH 1; AT 21,8;"ON
E LESS SERUM: LOOK OUT"
2062 FOR N=0 TO 100: NEXT N
2070 RETURN

```

Now Open:
Yahoo! Surf Shop!



Web Launch

Search

Options

- **Arts**
Humanities, Photography, Architecture, ...
- **Business and Economy [Xtra!]**
Directory, Investments, Classifieds, Taxes, ...
- **Computers and Internet [Xtra!]**
Internet, WWW, Software, Multimedia, ...
- **Education**
Universities, K-12, Courses, ...
- **Entertainment [Xtra!]**
TV, Movies, Music, Magazines, ...
- **Government**
Politics [Xtra!], Agencies, Law, Military, ...
- **Health**
Medicine, Drugs, Diseases, Fitness, ...
- **News [Xtra!]**
World [Xtra!], Daily, Current Events, ...
- **Recreation**
Sports [Xtra!], Games, Travel, Autos, ...
- **Reference**
Libraries, Dictionaries, Phone Numbers, ...
- **Regional**
Countries, Regions, U.S. States, ...
- **Science**
CS, Biology, Astronomy, Engineering, ...
- **Social Science**
Anthropology, Sociology, Economics, ...
- **Society and Culture**
People, Environment, Religion, ...

Back

Reload Page

Show Page Source

Save Page As...

Print Page...

Inspect Element

```
<div class="container">
```

```
<div class="row">
```

```
<div class="col-md-6 col-lg-8"> <!-- _____ BEGIN NAVIGATION
```

```
<nav id="nav" role="navigation">
```

```
<ul>
```

```
<li><a href="index.html">Home</a></li>
```

```
<li><a href="home-events.html">Home Events</a></li>
```

```
<li><a href="multi-col-menu.html">Multiple Column Menu
```

```
<li class="has-children"> <a href="#" class="current">
```

```
<ul>
```

```
<li><a href="tall-button-header.html">Tall But
```

```
<li><a href="image-logo.html">Image Logo</a></
```

```
<li class="active"><a href="tall-logo.html">Ta
```

```
</ul>
```

```
</li>
```

```
<li class="has-children"> <a href="#">Carousels</a>
```

```
<ul>
```

```
<li><a href="variable-width-slider.html">Variab
```

```
<li><a href="testimonial-slider.html">Testimoni
```



FEATURE RICH WEB SURVEYS
TRY IT FREE FOR A MONTH!



Welcome to Matt's Script Archive. Offering free CGI scripts to the web community since 1995!

What's New @ MSA?

July 14, 2009
- FormMail 1.93 now out

Other sites by Matt:

- FormMail.com**
- hosted form processor
- SurveyFactory**
- hosted survey software
- CGI Resource Index**
- 3,000+ Perl Scripts!
- PHP Resource Index**
- 2,000+ PHP Scripts!
- chumpsoft, inc.**
- online survey software

Matt's Free Perl CGI Scripts

FormMail

Downloaded over 2 million times since 1997, this script sends the results of any HTML form via e-mail to the specified users. Works for multiple forms & users.
[readme](#), [faq](#), [download](#), [nms](#), ...
Free - v1.93 - July 14, 2009

SurveyFactory

Build online surveys with 15 question types, multiple languages, emailed invitations and hundreds more advanced features. Nothing to download or install.
[features](#), [pricing](#), [read more...](#)
starting at \$9.95 per month
sponsored cgi program ▲

Simple Search

Allows you to integrate a basic keyword and boolean search program into your site so that users can search specified text and HTML documents.
[readme](#), [faq](#), [demo](#), [download](#), [nms](#), ...
Free - v1.0 - December 16, 1995

TextCounter

Display a text count of visitors to your web pages. Includes: zero padding, file locking, linking the count, displaying begin date and counting multiple pages.
[readme](#), [faq](#), [demo](#), [download](#), [nms](#), ...
Free - v1.2 - May 10, 1996

TextClock

TextClock can show your visitors several variations on the current time and/or date. Choose what details to include and link the date to any site.
[readme](#), [faq](#), [demo](#), [download](#), [nms](#), ...
Free - v1.0.2 - July 15, 1996

Random Link Generator

Random Link Generator allows you to establish a link that, when clicked on, takes the user to a random url pulled from a list of URLs that you specify.
[readme](#), [faq](#), [demo](#), [download](#), [nms](#), ...

Guestbook

Allow users to sign in and leave their name, contact and comments! Includes ability to redirect users after signing, log entries and e-mail upon new entries.
[readme](#), [faq](#), [download](#), [nms](#), ...
Free - v2.3.1 - October 29, 1995

WWWBoard

A threaded discussion forum that allows users to post new messages, followup to existing ones and more. Includes a basic admin to maintain the board.
[readme](#), [faq](#), [download](#), ...
Free - v2.0A2.1 - January 7, 2000

Counter

Uses a C program to generate images on the fly. You can set border size, transparency, use an invisible count, and more. Limited to counting one page.
[readme](#), [faq](#), [download](#), ...
Free - v1.1.1 - January 11, 1996

Random Text

A program that randomly chooses a section from a plain text file that contains a series of phrases, quotes, lines of text, html tags, etc.
[readme](#), [faq](#), [demo](#), [download](#), [nms](#), ...
Free - v1.0 - July 13, 1996

Free for all Links

Allow your users to add their own link to specified categories. Running total of number of links and time last link was added are also displayed.
[readme](#), [faq](#), [download](#), [nms](#), ...
Free - v2.2 - July 16, 1996

HTTP Cookie Library

Allows you to easily use cookies by simply calling on routines from within your scripts to set, retrieve, compress, and modify persistent cookies.
[readme](#), [faq](#), [demo](#), [download](#), [nms](#), ...



YOU DESIGN IT

Contact Name:

Contact E-Mail:

Company Name:

Company Address:

Contact Phone:

Company URL:

Comments:

Create your HTML form to collect any information you need.




WE PROCESS IT



No programming
Nothing to install
No advertising



RESULTS APPEAR
IN YOUR INBOX!



Spam protection
< \$1 per month
Free Trial!

“If it hadn’t been for others freely sharing their software and opening it up to the world, I wouldn’t be a software engineer today.”

– Me, right now

[\[prev in list\]](#) [\[next in list\]](#) [\[prev in thread\]](#) [\[next in thread\]](#)

List: [taglibs-user](#)
Subject: [RE: Tag "on the fly"](#)
From: ["Ben Ramsey" <ben \(\) eureka-interactive ! com>](#)
Date: [2002-06-28 20:44:10](#)
[Download RAW [message](#) or [body](#)]

I can't seem to get either of these to work. I'm trying to pull data from the querystring and place it into an XTAGS attribute like this:

```
<xtags:parse uri="/b1/person.xml"/>  
<xtags:remove select="//me[not(@id='2')]"/>
```

The whole page works fine when left like above, but I want to pass the content of the uri and the id number to select through the querystring so that it would look like this:

```
<xtags:parse uri="$param:data"/>  
<xtags:remove select="//me[not(@id=$param:contact)]"/>
```

At least, that's how I understand that it should work, but it doesn't.

My querystring looks like this:
?contact=2&data=/b1/person.xml

I've even tried:

```
<xtags:parse uri="<%= request.getParameter("data") %>"/>  
<xtags:remove select="<%= "//me[not(@id='" + request.getParameter("contact")  
+ ")]" %>"/>
```

but that won't work either; it keeps generating a CompileException error.

Am I leaving something out?

Ben Ramsey
Technical Director
EUREKA! Interactive, Inc.
770-642-0390
www.eureka-interactive.com

[\[prev in list\]](#) [\[next in list\]](#) [\[prev in thread\]](#) [\[next in thread\]](#)

List: [taglibs-user](#)
Subject: [XTAGS and DOCTYPE problems](#)
From: ["Ben Ramsey" <ramseyb \(\) mail ! com>](#)
Date: [2002-07-07 21:26:56](#)
[Download RAW [message](#) or [body](#)]

I've written a perl script whose purpose it is to execute once an hour and pull and \ save to our server data from a moreover.com RSS file. Then, I use XTAGS to format \ and display this data. However, I am having a problem. Here's the error I get:

```
javax.servlet.ServletException: access denied (java.net.SocketPermission \
p.moreover.com resolve) Nested exception: access denied (java.net.SocketPermission \
p.moreover.com resolve)
```

Now, on a whim, I removed the DOCTYPE declaration in the moreover RSS file, saved, \ and went to view my page in a browser. Viola! All worked perfectly. Seemingly, \ removing this would be the fix, but since the idea is to automate this process, then \ I cannot sit at the machine once every hour and do this. In addition, I've tried \ pointing directly to the moreover URL, but I've had no luck with that either, just \ more errors.

The header of moreover's RSS file looks like this:

```
<?xml version="1.0" encoding="iso-8859-1"?>
<!DOCTYPE rss PUBLIC "-//Netscape Communications//DTD RSS 0.91//EN"
"http://p.moreover.com/xml_dttds/rss-0_91.dtd">
<rss version="0.91">
...
```

Why would this DOCTYPE declaration be causing this problem, when it apparently isn't \ causing anyone else this problem (I've seen many others use moreover's rss files in \ examples)?

Here's my code, if it'll help:

```
<xtags:parse uri="/data/xml/fodder/headlines.xml"/>
<xtags:stylesheet>
  <xtags:template match="/">
    <xtags:forEach select="/rss/channel/item[position() = 1 or position() = 2 or \
position() = 3 or position() = 4 or position() = 5]"> <p class="headline">
      <a href="<xtags:valueOf select="link"/>" target="_blank">
        <xtags:valueOf select="title"/>
```

[\[prev in list\]](#) [\[next in list\]](#) [\[prev in thread\]](#) [\[next in thread\]](#)

List: [taglibs-user](#)
Subject: [RE: Very Basic Help](#)
From: ["Ben Ramsey" <ben \(\) eureka-interactive ! com>](#)
Date: [2002-07-09 15:25:58](#)
[Download RAW [message](#) or [body](#)]

Should I switch to JSTL's XML-related tags, then? Will XTags eventually phase-out like the XSL tag?

In addition, I'm currently running Tomcat 3.2.3. Is is a JSP 1.2 container? I've tried to upgrade to version 4.0.4, but I don't have Glibc 2.2 for mod_webapp to work. (I'm running a Cobalt RaQ4r with Apache 1.3.20 and Glibc 2.1.3)

Ben Ramsey
Technical Director
EUREKA! Interactive, Inc.
770-642-0390
www.eureka-interactive.com

--

To unsubscribe, e-mail: [<mailto:taglibs-user-unsubscribe@jakarta.apache.org>](mailto:taglibs-user-unsubscribe@jakarta.apache.org)
For additional commands, e-mail: [<mailto:taglibs-user-help@jakarta.apache.org>](mailto:taglibs-user-help@jakarta.apache.org)

[\[prev in list\]](#) [\[next in list\]](#) [\[prev in thread\]](#) [\[next in thread\]](#)



[Stats] PHP Net List: March 2004

From:	Bill Doerrfeld	Date:	Fri, 02 Apr 2004 15:27:05 +0000
Subject:	[Stats] PHP Net List: March 2004		
Groups:	php.general		

Searchable archives for this list are available at
<<http://www.listsearch.com/phplist.lasso>>

=====
PHP Net List Stats
March, 2004
=====

Note: Up/Down % as compared with February, 2004

Posts: 2840 (Up 7%)
Authors: 569 (Up 7%)
Threads: 796 (Up 8%)

Top 20 Contributors by Number of Posts

Richard Davey	145
Chris W. Parker	88
Chris Shiflett	65
John W. Holmes	63
Raditha Dissanayake	57
Jason Wong	55
Jay Blanchard	53
Andy B	49
Ben Ramsey	47
trlists	44



22 FEB 2004

PHPCOMMUNITY.ORG

Back in December 2003, [Chris Shiflett announced on his Web site](#) (an announcement that was [carried over to PHP.net](#)) his intention to launch a site for the PHP community by the PHP community. He filtered through mass amounts of e-mail in response to the announcement and set up a wiki at [PHPCommunity.org](#). Since then, the site following has grown by leaps and bounds, though the site launch may not be for quite some time. This is an exciting opportunity for the PHP community, and I'm excited to be involved. The advent of this community site has inspired me to finally put this Web site together and start doing what I enjoy most: writing.

By [Ben Ramsey](#) • Posted on [22 Feb 2004](#)

[WHAT THE GPL?! »](#)

[Tweet](#) [Vote on Hacker News](#)

This HTML text editor brings to the web many of the powerful functionalities of known desktop editors like Word. It's really **lightweight** and doesn't require any kind of installation in the client computer. As it is **Open Source**, you are allowed to use it for **free** wherever you want.

Last Version
2.0 Beta 1

> Last News

1 June 2004 - FCKeditor 2.0 Beta 1 released (see "What's New?")

The so waited version 2.0 was finally release. This is the first beta. It doesn't bring all features available on version 1.x, for now, but introduces many new things: Gecko browser compatibility (**Mozilla** and **Netscape**), **fast startup**, **skins** support, **advanced link** support, **advanced file browser** and much more.

> Live Demo

Click the image to see the editor in action right now!

Start Demo



> Compatibility




With version 2.0 FCKeditor will be the first DHTML editor compatible with IE 5+, Mozilla and Netscape.

At the server side, FCKeditor offers a complete integration pack for:


- ASP.Net
- ColdFusion
- ASP
- PHP
- Java

> Features

- **Internet Explorer 5.5+** and **Gecko** browser (Mozilla / Netscape) compatibility
- **XHTML 1.0** support
- **Font formatting:** type, size, color, style, bold, italic, etc
- **Text formatting:** alignment, indentation, bullets list, etc
- Cut, Paste and Past as Plain Text, Undo and Redo
- Paste from **Word** cleanup with auto detection
- Link creation (version 1.x)
- Anchors support (version 1.x)
- Image insertion, with **upload** and **server browsing** support (version 1.x)
- Table creation and editing (add, delete rows, etc) (version 1.x)
- Table cells editing (size, colors, etc) (version 1.x)
- Form fields (version 1.x)
- Right click **context menus** support
- Complete **toolbar customization**
- Skins support.
- Spell checker (version 1.x)
- **CSS** support for a better integration in your web site (version 1.x)
- **Multi-language** support with **automatic** client language **detection**. Including Right to Left reading.
- Lightweight and fast
- Automatic **browser detection** and customization
- Integration with **ASP, ASP.NET, Java, ColdFusion, PHP, Javascript** and **IE Behaviours** (version 1.x)
- Image and file **links upload** and server repository browser.
- For web developer it is easy to install and customize
- For web users it's simply easy to use!



Home / Browse / FCKeditor / Patches



Preview Page Functionality

FCKeditor (retired)

Brought to you by: [fredck](#), [gok9ok](#), [wwalc](#)



This project can now be found here.

Summary

Files

Reviews

Support

Mailing Lists

Tickets

News

Browse SVN

CVS

Search Patches

Create Ticket

View Stats

Group

Version 1.x (11)

Version 2.x (218)

Searches

Changes (23)

#9 Preview Page Functionality

Status: **closed** Owner: [Frederico Caldeira Knabben](#) Labels: [Editor \(144\)](#)

Priority: 5
Updated: 2004-05-09 Created: 2004-04-15 Creator: [Ben Ramsey](#) Private: No

I've added a button to my editor to allow "preview page" functionality that launches a new browser window with a preview of the content from the editor. I submitted this to fredck, but I thought I would go ahead and post it here, as well, for anyone who wanted to go ahead and implement it:

```
#####
Drop button.preview.gif into /images/toolbar/
#####
image attached below
#####
```



15 APR 2004

FCKEDITOR

I've been very busy lately with my real job, so I have neglected to blog in a while, but much has been happening, so it would seem to me, in the news (especially with [Microsoft and Sun](#) and [Gmail](#)), but I'll post on these later. For now, let me promote [FCKeditor](#). In the process of developing a CMS for a government Web site, it was decided that we needed a WYSIWYG editor that we could embed in a Web page and use as part of our system. We looked around at many different options and decided to go with [Rich Editor](#), a paid and licensed editor that was supposed to work well in all browsers.

Unfortunately, Rich Editor required much recoding on my part in order to get it to work in our CMS, and I was never too excited about the terms of its license agreement, which states: "You may use the Software to create content for third parties, or in your commercial products." According to this, you cannot use *the product* in your commercial products or in products for third parties. Rather, you can use the product only to *create content* for third parties or commercial products. It's a very fuzzy sentence, but that's what it means.

So, after having used Rich Editor and being fed up with its license and some of its functionality (the remote image/files browser was clunky and took a long time to load), I decided to scrap Rich Editor when I found a light-weight, cleanly coded LGPL-licensed editor: FCKeditor.

FCKeditor works only in IE (in all other browsers it displays a simple textarea), as it makes use of IE's built-in HTML generation functions; however, do not fear, for it is not an ActiveX object. This is fine when developing a CMS that you can restrict to a specific browser (since there are only a few people using it to manage the content of the site). So, it was fine for us. Also, it is extremely easy to extend and modify: another plus. In fact, I was able to easily add "Preview Page" and "Insert Flash" functionality, and because of that, I decided to join the project at [Sourceforge](#) and contribute my changes to it.

Commit

Moving certain information into the page sidebar, while leaving the N...

Browse files

...ews in
the main content area of the page.

master
old_website_2015 RELEASE_1_0_4

ramsey committed on Jul 20, 2004

1 parent 96f0276 commit ebe9ffd

Showing 1 changed file with 35 additions and 47 deletions.

Whitespace Ignore whitespace Split Unified

```

82 index.php
... @@ -1,36 +1,50 @@
1 1  <?php
2 2  + /* $Id$ */
3 3  +
2 4
3 3  - /*
4 5  $SIDEBAR_DATA = <<< EOF
5 5  - <h3>Warning!</h3>
6 6  + <h2>PHP-GTK</h2>
6 7  <P>
7 7  - This code is a highly experimental adaptation
8 8  - of the instructions beamed to us by the friendly aliens of Tau
9 9  - Ceti. The API can... and will... be changing, evolving, and unpredictably

```



PHP-GTK

PHP-GTK is an extension for PHP programming language that implements language bindings for GTK+ toolkit. It provides an object-oriented interface to GTK+ classes and functions and greatly simplifies writing client side cross-platform GUI applications.

News

Brazilian PHP-GTK community has a new portal [site](#).

[PHP-GTK Version 1.0.0](#) is finally out after almost a year of being in stasis. This is probably the last major version that will work with PHP 4 and Gtk+ 1.x. There might be more bugfixes, but no new features or upgrades will be implemented. PHP-GTK 2 is under development and will focus on PHP 5 and Gtk+ 2.x.

[PHP-GTK Version 0.5.2](#) is out. After a long break, we have fixed some bugs and improved gdk-pixbuf functionality. See [Change Log](#) for the full list of changes.

<http://wiki.gtk.php.net/>

The general idea is that the PHP-GTK community (including members of this list) can use the Wiki to help provide better documentation for PHP-GTK. Be it HOWTOs, tips, FAQs, case studies or anything else that may be useful, if you want to write it the Wiki is there to accept it. Best of all because adding to the Wiki is as simple as clicking the "edit this document" button there is hardly any barrier between thinking of something and recording it.

There is practically no content up there right now, but the Wiki really needs to be a community effort. If you have anything PHP-GTK related that you think will be useful, add it in. Good content can then be rolled in to official PHP-GTK documentation later on.

Andrei Zmievski gave a presentation and a workshop on PHP-GTK at the Forum Internacional Software Livre 2002 in Porto Alegre, Brazil. The presentation is available online at <http://conf.php.net/br-gtk>.



What is PHP-GTK?

PHP-GTK is an extension for the PHP programming language that implements language bindings for [GTK+](#). It provides an object-oriented interface to GTK+ classes and functions and greatly simplifies writing client-side cross-platform GUI applications.

Resources

Check out our [Resources page](#) for links to PHP-GTK related sites, instructions on the PHP-GTK mailing lists, and other PHP-GTK resources. Also, please try to use the **#php-gtk** channel on Freenode IRC - the more people there, the better for the community.

Contact

If you have problems or questions, your first point of contact should be the manual and the **php-gtk-general** mailing list.

Any serious PHP-GTK related questions should be sent to [andrei at php dot net](#), unless they are related to the manual, in which case they should be sent to [sfox at php dot net](#). If you have a question or suggestion for the website, you should contact [php-gtk-webmaster at lists dot php dot net](#).

PHP-GTK 1.0.1 released

[09-Aug-2004] [PHP-GTK version 1.0.1](#) is the first release in nine months. However, this release is also the proof that activity in the PHP-GTK camp has indeed increased and is rapidly moving along toward a stable PHP-GTK 2.

PHP-GTK 1.0.1, affectionately termed the "you thought we were done?" version, implements and exposes some new methods for [GtkToolbar](#), reimplements `Gdk::cursor_new_from_pixmap()` "so it actually works," and has various tweaks to the build system. Note that this version requires PHP 4.3.x to build. See the [changelog](#) for full details.

In other news, the [manual](#) has been updated to include syntax highlighting (coloring) in the code examples.

Documentation updates listed on PHP-GTK Web site

[05-Aug-2004] The PHP-GTK Web site now features a regularly updated listing of documentation updates. The listing is displayed on the home page and is updated every night when the manual is updated from CVS. The updates are listed in reverse chronological order (the newest at the top), and the latest fifteen updates are shown at any given time. In addition, a [documentation update feed](#) is available in RSS format.

PHP-GTK 2 is go for GTK+ 2.4

[29-Jul-2004] In a thread on **php-gtk-dev** entitled "[Gtk+ 2.2 or 2.4?](#)", developers discussed whether to base PHP-GTK 2 on GTK+ 2.2 or 2.4. The decision was quickly made, with no opposition or argument, to [proceed with using GTK+ 2.4](#).

For more information on GTK+ 2.4, read [this post](#) and [this post](#).

PHP-GTK RSS feed added

[28-Jul-2004] The addition of an [RSS feed](#) allows the PHP-GTK Web site to disseminate its news content throughout many different channels. Other sites may now use the feed to aggregate news content from this site.

Manual search bug fixed

[28-Jul-2004] A bug has been fixed in the search functionality of the PHP-GTK Web site that caused problems when searching on the manual. Now, searches on `connect`, `window`, `child`, `beep`, etc. return actual results instead of "cannot be found" messages.

Other upgrades to the manual search functionality are likely to follow.

New PHP-GTK wiki

[27-Jul-2004] We have set up a new [wiki](#) that is faster and more easily manageable than our previous wiki. In addition, the new wiki is

Docs Updates

- [GtkObject](#)
- [GtkNotebook](#)
- [GtkCList](#)
- [GladeXML](#)
- [Misc Glade Functions](#)
- [GdkCursor](#)
- [GdkWindow](#)
- [GtkTipsQuery](#)
- [GtkToolbar](#)
- [GtkTree](#)
- [GtkTreeWidgetItem](#)
- [GtkWidget](#)
- [Pixmaps \(tutorial\)](#)
- [GDK Functions](#)
- [GTK Functions](#)

Commit

Added addAttribute(), addChild(), getDocNamespaces(), getName(), and

Browse files

getNamespaces() methods to SimpleXMLElement documentation.

git-svn-id: <https://svn.php.net/repository/phpdoc/en/trunk@212830> c90b9560-bf6c-de11-be94-00142212c4b1

master

ramsey committed on May 11, 2006

1 parent [78adb7c](#) commit [903ef8b](#)

Showing 5 changed files with 555 additions and 0 deletions.

Whitespace Ignore whitespace Split Unified

Filter changed files

- reference/simplexml/functions
 - simplexml-element-addAtt... +
 - simplexml-element-addCh... +
 - simplexml-element-getDo... +
 - simplexml-element-getNa... +
 - simplexml-element-getNa... +

```

117 reference/simplexml/functions/simplexml-element-addAttribute.xml
... @@ -0,0 +1,117 @@
1 + <?xml version="1.0" encoding="iso-8859-1"?>
2 + <!-- $Revision -->
3 + <refentry id='function.simplexml-element-addAttribute'>
4 + <refnamediv>
5 + <refname>SimpleXMLElement->addAttribute</refname>
6 + <refpurpose>
7 +   Adds an attribute to the SimpleXML element
8 + </refpurpose>
9 + </refnamediv>
10 + <refsect1 role="description">
11 +   &reftitle.description;
12 + </refsect1>

```

Commit

Adding initial documentation for the pecl/sqlite3 extension.

Browse files

git-svn-id: <https://svn.php.net/repository/phpdoc/en/trunk@261963> c90b9560-bf6c-de11-be94-00142212c4b1

🔑 master

🌱 ramsey committed on Jul 2, 2008

1 parent [01e00c3](#) commit [697a714](#)

Showing 42 changed files with 3,198 additions and 0 deletions.

Whitespace Ignore whitespace Split Unified

Filter changed files

reference/sqlite3

- book.xml +
- configure.xml +
- constants.xml +
- entities.sqlite3.xml +
- entities.sqlite3_result.xml +
- entities.sqlite3_stmt.xml +
- examples.xml +
- ini.xml +
- reference.xml +

41 reference/sqlite3/book.xml

```

... @@ -0,0 +1,41 @@
1 + <?xml version="1.0" encoding="iso-8859-1"?>
2 + <!-- $Revision: 1.1 $ -->
3 +
4 + <book xml:id="book.sqlite3" xmlns="http://docbook.org/ns/docbook" xmlns:xlink="http://www.w3.org/1999/xlink">
5 + <title>Sqlite3</title>
6 + <titleabbrev>Sqlite3</titleabbrev>
7 +
8 + <preface xml:id="intro.sqlite3">
9 + &reftitle.intro;
10 + <para>
11 + Description here.
12 + </para>
13 + </preface>
14 +

```



Implement new array function array_column() #56

Code

Closed ramsey wants to merge 12 commits into php:PHP-5.3 from ramsey:feature/array_column

Conversation 21 Commits 12 Checks 0 Files changed 5

+337 -0



ramsey commented on Apr 14, 2012

Member

array_column() returns the values of the specified column from a multi-dimensional array.

I've actually had this patch sitting around for several years, and I decided to take a look, clean it up, and finally submit it. Inspired by database methods like PDOStatement::fetchColumn(), I wrote this to scratch an itch, since I've often had the need to take a recordset array and pull a single column of values from it, which normally involves looping over the array and creating a new array of the values for the column I want to pull. I decided to implement this in the PHP core to save that step.

You can take a look at the test included to see how it works. The second parameter is the key for the column to return, which can be a number for numeric indexes or a string for associative arrays. If it can't find the column specified, it simply returns an empty array.



ramsey added 5 commits 12 years ago

- Implement new array function array_column() 993d9fe
- Adding tests for the negative results of array_column() 2b81bb7
- Adding test for columns not present in all rows for array_column(). 5cfca33

Reviewers

No reviews

Assignees

No one assigned

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.



pierrejoye commented on Apr 18, 2012

Contributor



@ramsey

btw, pls put a RFC together and send a notification mail to internals once you are ready, referring to this discussion too to avoid to have to discuss everything again from scratch :)





Request for Comments: array_column

- Version: 2.4
- Date: 2013-01-11
- Author: Ben Ramsey [✉ ramsey@php.net](mailto:ramsey@php.net)
- Status: Implemented in PHP 5.5
- First Published at: [🌐 http://wiki.php.net/rfc/array_column](http://wiki.php.net/rfc/array_column)

Introduction

This RFC proposes a new array function that returns the values of the specified column from a multi-dimensional array. Inspired by database methods like `PDOStatement::fetchColumn()`, `array_column()` moves useful functionality into the core that once had to be implemented in userland code with sometimes complex loops.

This has been submitted as a [🌐 pull request on GitHub](#), where there has already been a significant amount of discussion.

Specification

Description

```
array array_column(array $input, mixed $columnKey[, mixed $indexKey])
```

`array_column()` returns the values from a single column of the *input* array, identified by the *columnKey*. Optionally, you may provide an *indexKey* to index the values in the returned array by the values from the *indexKey* column in the *input* array.



Table of Contents

- Request for Comments: array_column
- Introduction
- Specification
- Description
- Parameters
- Return Values
- Examples
- Proposal and Patch
- Mailing list discussion
- Voting
- Changelog

Commit

Initial commit; supports UUID version 1 generation.

Browse files

4.x
4.7.5 ... 1.0.0

Ben Ramsey committed on Jul 5, 2012

0 parents commit dc93fac

Showing 9 changed files with 949 additions and 0 deletions.

Whitespace Ignore whitespace Split Unified

Filter changed files

- .gitignore +
- LICENSE +
- README.md +
- composer.json +
- library/Rhumsaa/Uuid
 - UnsupportedOperationExc... +
 - Uuid.php +
- phpunit.dist.xml +
- tests
- Rhumsaa/Uuid

6 .gitignore

```

... @@ -0,0 +1,6 @@
1 + .DS_Store
2 + phpunit.xml
3 + composer.lock
4 + build
5 + vendor
6 + *.phar

```

19 LICENSE

```

... @@ -0,0 +1,19 @@
1 + Copyright (c) 2012 Ben Ramsey <http://benramsey.com>
2 +
3 + Permission is hereby granted, free of charge, to any person obtaining a copy
4 + of this software and associated documentation files (the "Software"), to deal
5 + in the Software without restriction, including without limitation the rights

```

php 8.1 & 8.2

php 8.1 & 8.2



Saving PHP



Does PHP need saving?

Job Market

Job Market

Bus Factor & Burnout

Job Market

Bus Factor & Burnout

Innovation

Why save PHP?

The Community



Larry Garfield

@Crell@phpc.social

[@ramsey](#) It's entirely rational to get emotional over a community/ecosystem you've been a key part of for so long being seemingly in decline.

It's not PHP syntax that we lament. It's the PHamily connected to it.

Mar 28, 2024 at 09:54 · 🌐 · ↻ 4 · ★ 11

PHP



www.php.net



php

Downloads

Documentation

Get Involved

Help

php 8.3

Search

php

A popular general-purpose scripting language that is especially suited to web development. Fast, flexible and pragmatic, PHP powers everything from your blog to the most popular websites in the world.

What's new in 8.3

Download

8.3.6 · Changelog · Upgrading

8.2.18 · Changelog · Upgrading

8.1.28 · Changelog · Upgrading

Statement on glibc/iconv Vulnerability »

24 Apr 2024

Recently, a bug in **glibc** version 2.39 and older ([CVE-2024-2961](#)) was uncovered where a buffer overflow in character set conversions to the ISO-2022-CN-EXT character set can result in remote code execution.

This specific buffer overflow in glibc is exploitable through PHP, which uses the iconv functionality in glibc to do character set conversions. Although the bug is exploitable in the context of the PHP Engine, the bug is not in PHP.

The PHP Foundation

The PHP Foundation is a collective of people and organizations, united in the mission to ensure the long-term prosperity of the PHP language.

Donate



[Edit this page](#)

PHP Manual Contribution Guide

Introduction

PHP is well known for having excellent documentation. Documentation that is created by volunteers who collectively make changes every day. This guide is designed for people who work on the official PHP documentation.

Glossary

This guide uses some terminology that you have to know. Don't worry, it's easy:

- **author** - person who contributes to the original English manual
- **translator** - person who translates the English manual into another language
- **{LANG}** - replace it with your two-letter country code, (e.g. when referring to a mailinglist, `doc-{LANG}@lists.php.net`). Note: Brazilian Portuguese differs from the rest and it's called *pt_br* for the Git repo and *pt-br* for the mailing list suffix.

Table of Contents

- [Joining the team](#)
- [Documentation structure](#)
- [Editing the PHP Manual](#)
- [Translating documentation](#)
- [Style guidelines](#)

Creating new test files

#phpt Test Basics

The first thing you need to know about tests is that we need more!!! Although PHP works just great 99.99% of the time, not having a very comprehensive test suite means that we take more risks every time we add to or modify the PHP implementation. The second thing you need to know is that if you can write PHP you can write tests. Thirdly - we are a friendly and welcoming community, don't be scared about writing to (php-qa@lists.php.net) - we won't bite!

- **So what are phpt tests?**

A phpt test is a little script used by the php internal and quality assurance teams to test PHP's functionality. It can be used with new releases to make sure they can do all the things that previous releases can, or to help find bugs in current releases. By writing phpt tests you are helping to make PHP more stable.

- **What skills are needed to write a phpt test?**

All that is really needed to write a phpt test is a basic understanding of the PHP language, a text editor, and a way to get the results of your code. That is it. So if you have been writing and running PHP scripts already - you have everything you need.

- **What do you write phpt tests on?**


Basically you can write a phpt test on one of the various php functions available. You can write a test on a basic language function (a string function or an array function) , or a function provided by one of PHP's numerous extensions (a mysql function or a image function or a mcrypt function).

You can find out what functions already have phpt tests by looking in the [html version](#) of the git repository (`ext/standard/tests/` is a good place to start looking - though not *all* the tests currently written are in there).

If you want more guidance than that you can always ask the PHP Quality Assurance Team on their mailing list (php-qa@lists.php.net) where they would like you to direct your attentions.

- **How is a phpt test is used?**

The PHP Foundation



Laminas



Slim






Moving PHP forward through collaboration and standards.

Welcome to the PHP Framework Interop Group! We're a group of established PHP projects whose goal is to talk about commonalities between our projects and find ways we can work better together.

[View recommendations \(PSRs\)](#)

[Frequently asked questions](#)



🇺🇦 Stop the war & support 🇺🇦



The League of Extraordinary Packages is a group of developers who have banded together to build solid, well tested PHP packages using modern coding standards.



**Produce innovative software
libraries that others can't do without.**



Ben Ramsey

@ramsey@phpc.social

OH: “A lot of the stuff that Python gets praised for being fast at, PHP now outperforms Python at doing, but it’s a story we’re not really telling. We should be telling that story.” [#PHPTek](#)
[#HallwayTrack](#) [#PHP](#)

Apr 23, 2024 at 23:46 · Edited Apr 23 at 23:51 ▼ · 🌐 · Mona for Mac · ↻ 33 · ★ 33



Eric Mann

@ericmann@tekton.network

[@ramsey](#) the biggest thing I like Python for is data science. If we had the equivalents of numpy and pandas in PHP, it would go a long way. Even further proper Spark integration and CUDA support.

I'm not super strong in C but I'd love to work with someone to see if we could tackle any of these things and give PHP a fighting chance against Python for DS.

Apr 24, 2024 at 00:30 · 🌐 · ↻ 0 · ★ 1

What else can you do?



**Saving PHP is about
community**